Example for RISK ASSESMENT FORM

Contact Name	You		Company Name	Yours	Description on Stand/activity	
Risk Assessment carried out by	You	You Signat of Assess		Yours	Dat Assessment und rtaken	Before 30/01/16 and returned with application
HAZARD		PERSONS AT RISK		CONTROLS TO MINIMISE RISK		FURTHER ACTION
Inclement Weather – High winds - Heavy rain - Thunderstorms		Stall holder and assistant General Public		Stall is set out in Marquee providing adequate patects in for most weather conditions.		In extreme event goods and display would be dismantled and stored away to prevent damage
Fire		Stall holder and assistant General Public		No flammable materials or electricity will a use in the stall area. Organisers to provide general file fighting a uipment and marshals in the event of a fire on site.		Stall holder and assistant to familiarise themselves with organisers fire safety
Slipping /Tripping Hazards.		Stall holder and assistant General Public		The stall layout restricts rembers of the public to the open front of the stand area, which will be kept clear at all times. All stock on display is placed on dedicated deplay areas, it is shelving and tables within the confines of the stall area. Offer stalk and equipment will be stored in a restricted area at the back of the stall which are tracessible to the public		None required
Unstable exhibition stands		Stall holder and assistant General Public		The stall will be situated on level ground. The distribution of the standing and will be erected on level ground or a wedges to ensure stability. The 'L' shaped arrangement ensures stability and the display cannot topple forward.		Public access to rear of the display shelving will be prevented.
		Stall holder and assistant General Public		Any table cloths will be positioned to avoid trailing on the ground and only used on low level tables		None required
Manual handling		Stall holder and assistant General Public		Display shelving and table will be transported in small sections and assembled on site. Goods are packed in small boxes in order to limit the weight to below 20 kg		None required